

Nursing Surveillance: Cardiac, Respiratory, Cognitive PubMed Search Strategy

Outcome #1: Cardiac

1. "Nursing"[Mesh]
2. "Nursing Staff, Hospital"[Mesh]
3. "Nursing Assessment"[Mesh]
4. "Nursing Diagnosis"[Mesh]
5. "Risk Assessment"[Mesh]
6. "Nursing Process"[Mesh]
7. "APACHE"[Mesh]
8. "Near Miss, Healthcare"[Mesh]
9. Missed care
10. OR 1-9
11. "Hospitals"[Mesh]
12. "Inpatients"[Mesh]
13. "Intensive Care Units"[Mesh]
14. "Critical Care/nursing"[Mesh]
15. "Clinical Deterioration"[Mesh]
16. "Vital Signs/complications"[Mesh]
17. "Vital Signs/diagnosis"[Mesh]
18. OR 11-17
19. "Aged, 80 and over"[Mesh]

20. "Aged"[Mesh]
21. "Middle Aged"[Mesh]
22. "Adult"[Mesh]
23. nonagenarian
24. nonagenarians
25. octogenarian
26. octogenarians
27. centenarian
28. centenarians
29. OR 19-28
30. "Hospital Mortality"[Mesh]
31. "Tachycardia, Ventricular"[Mesh]
32. "Ventricular Fibrillation"[Mesh]
33. "Heart Arrest/nursing"[Mesh]
34. "Heart Arrest/prevention and control"[Mesh]
35. "Death, Sudden, Cardiac"[Mesh]
36. OR 30-35
37. "Infant, Newborn"[MeSH]
38. "Infant"[MeSH]
39. "Child, Preschool"[MeSH]
40. "Child"[Mesh]
41. "Adolescent"[Mesh]

42. "Pediatrics"[Mesh]
43. paediatric
44. paediatrics
45. "End Stage Live Disease"[Mesh]
46. "Terminally Ill"[Mesh]
47. "Cost and Cost Analysis"[Mesh]
48. "Withholding Treatment"[Mesh]
49. "Palliative Medicine"[Mesh]
50. "Hospice and Palliative Care Nursing"[Mesh]
51. "Palliative Care"[Mesh]
52. "Terminal Care"[Mesh]
53. OR 37-52
54. 10 AND 18 AND 29 AND 36
55. 54 NOT 53

Outcome #2: Respiratory

1. "Nursing"[Mesh]
2. "Nursing Staff, Hospital"[Mesh]
3. "Nursing Assessment"[Mesh]
4. "Nursing Diagnosis"[Mesh]
5. "Risk Assessment"[Mesh]
6. "Nursing Process"[Mesh]
7. "APACHE"[Mesh]

8. "Near Miss, Healthcare"[Mesh]
9. Missed care
10. OR 1-9
11. "Hospitals"[Mesh]
12. "Inpatients"[Mesh]
13. "Intensive Care Units"[Mesh]
14. "Critical Care/nursing"[Mesh]
15. "Clinical Deterioration"[Mesh]
16. "Vital Signs/complications"[Mesh]
17. "Vital Signs/diagnosis"[Mesh]
18. OR 11-17
19. "Aged, 80 and over"[Mesh]
20. "Aged"[Mesh]
21. "Middle Aged"[Mesh]
22. "Adult"[Mesh]
23. nonagenarian
24. nonagenarians
25. octogenarian
26. octogenarians
27. centenarian
28. centenarians
29. OR 19-28

30. "Hospital Mortality"[Mesh]
31. "Respiratory System/diagnosis"[Mesh]
32. "Respiratory Rate"[Mesh]
33. "Signs and Symptoms, Respiratory"[Mesh]
34. "Airway Management"[Mesh:noexp]
35. "Respiration Disorders/diagnosis"[Mesh]
36. "Respiration Disorders/nursing"[Mesh]
37. "Respiration Disorders/prevention and control"[Mesh]
38. "Respiratory Insufficiency/diagnosis"[Mesh]
39. "Respiratory Insufficiency/nursing"[Mesh]
40. "Respiratory Insufficiency/prevention and control"[Mesh]
41. OR 30-40
42. "Infant, Newborn"[MeSH]
43. "Infant"[MeSH]
44. "Child, Preschool"[MeSH]
45. "Child"[Mesh]
46. "Adolescent"[Mesh]
47. "Pediatrics"[Mesh]
48. paediatric
49. paediatrics
50. "End Stage Live Disease"[Mesh]
51. "Terminally Ill"[Mesh]

52. "Cost and Cost Analysis"[Mesh]
53. "Withholding Treatment"[Mesh]
54. "Palliative Medicine"[Mesh]
55. "Hospice and Palliative Care Nursing"[Mesh]
56. "Palliative Care"[Mesh]
57. "Terminal Care"[Mesh]
58. OR 42-57
59. 10 AND 18 AND 29 AND 41
60. 59 NOT 58

Outcome #3 Cognitive

1. "Nursing"[Mesh]
2. "Nursing Staff, Hospital"[Mesh]
3. "Nursing Assessment"[Mesh]
4. "Nursing Diagnosis"[Mesh]
5. "Risk Assessment"[Mesh]
6. "Nursing Process"[Mesh]
7. "APACHE"[Mesh]
8. "Near Miss, Healthcare"[Mesh]
9. Missed care
10. OR 1-9
11. "Hospitals"[Mesh]
12. "Inpatients"[Mesh]

13. "Intensive Care Units"[Mesh]
14. "Critical Care/nursing"[Mesh]
15. "Clinical Deterioration"[Mesh]
16. "Vital Signs/complications"[Mesh]
17. "Vital Signs/diagnosis"[Mesh]
18. OR 11-17
19. "Aged, 80 and over"[Mesh]
20. "Aged"[Mesh]
21. "Middle Aged"[Mesh]
22. "Adult"[Mesh]
23. nonagenarian
24. nonagenarians
25. octogenarian
26. octogenarians
27. centenarian
28. centenarians
29. OR 19-28
30. "Hospital Mortality"[Mesh]
31. "Thinking"[Mesh:noexp]
32. "Perceptual Distortion"[Mesh]
33. "Consciousness"[Mesh]
34. "Consciousness Disorders/diagnosis"[Mesh]

35. "Consciousness Disorders/nursing"[Mesh]
36. "Psychomotor Agitation/diagnosis"[Mesh]
37. "Psychomotor Agitation/nursing"[Mesh]
38. Sensorium
39. "acute alteration in mental status"
40. OR 30-39
41. "Infant, Newborn"[MeSH]
42. "Infant"[MeSH]
43. "Child, Preschool"[MeSH]
44. "Child"[Mesh]
45. "Adolescent"[Mesh]
46. "Pediatrics"[Mesh]
47. paediatric
48. paediatrics
49. "End Stage Live Disease"[Mesh]
50. "Terminally Ill"[Mesh]
51. "Cost and Cost Analysis"[Mesh]
52. "Withholding Treatment"[Mesh]
53. "Palliative Medicine"[Mesh]
54. "Hospice and Palliative Care Nursing"[Mesh]
55. "Palliative Care"[Mesh]
56. "Terminal Care"[Mesh]

57. OR 41-56

58. 10 AND 18 AND 29 AND 40

59. 58 NOT 57